

Great Designs Deserve Great Fasteners.





**Connect with Strength.** 



## **COLOR GUIDE\***

#### **UV Enamels**



#### **Mariner™ UV Plastics**









# Scovill's DOT® Fasteners Stand For Durability, Strength And Performance...

Scovill customers appreciate the strength behind our DOT® brand fasteners. Introduced more than 100 years ago, their heavy-duty construction, uniform engineering and adherence to the toughest specifications have given this product line a reputation for consistency, quality and dependability among customers around the world. Whether they are used for protective gear worn by military and disaster relief professionals, or on sporting goods and medical devices, DOT fasteners remain secure in challenging environments.

#### **Products**

- Durable<sup>™</sup>
- Baby Durable<sup>™</sup>
- Pull-the-DOT®
- Lift-the-DOT®
- Mariner<sup>™</sup>
- Common Sense®
- Segma®
- Speedy Rivets®

#### **Applications**

- Automotive and Aviation
- Leather and Luggage
- Marine
- Military
- Packaging
- Protective Gear
- Sporting Goods
- Tents and Awnings

#### Learn more about our full range of DOT® products.

Contact your Scovill Sales Representative today to request a sample and quote. Visit scovill.com or call 1-888-726-8455.

MADE IN THE USA

scovill.com




Durable 

Automotive/Aviation ■ Leather/Luggage ■ Marine ■ Military

Packaging ■ Protective Gear ■ Sporting Goods ■ Tents/Awnings

These snap fasteners are ideal when superior snap action and holding strength are crucial. Durable™ fasteners feature a heavy-duty construction to ensure a firm grip that remains secure through years of use in even the toughest environments.

CAPS	SOCKETS	STUDS	POSTS
<b>93-10112</b> D: .600/15.24mm H: .315/8.00mm X2	<b>93-10224</b> Normal Action XB, X5	<b>93-10370</b> Standard BS, SS, NS, ZS	<b>93-10412</b> D: .565/14.35mm H: .240/6.09mm BS, SS, NS, ZS
<b>93-10127</b> D: .600/15.24mm H: .242/6.14mm X2, XS, XN, ZN	<b>93-10224</b> Hard Action XX, X6	<b>93-10373</b> Flangeless BS, NS	<b>93-10413</b> D: .565/14.35mm H: .295/7.49mm BS, SS, NS, ZS
<b>93-10128</b> D: .600/15.24mm H: .185/4.69mm X2, XS, XN, ZN	<b>93-10224</b> Hard Action XN, ZN	<b>93-10379</b> Deep Shelf BS, SS	<b>93-10414</b> D: .565/14.35mm H: .370/9.39mm BS
<b>93-10129</b> D: .525/13.33mm H: .195/4.95mm X2	<b>93-10231</b> Easy Action XB	<b>93-10342</b> Gypsy Stud XB	
93-10150 Mariner™ D: .605/15.36mm H: .201/5.10mm	93-10616 Socket Buckle XN		





#### **BASE MATERIALS**

BS All Brass X2 All Brass

XB All Brass

XE All Brass SS All Steel

X6 All Steel/Other NS All Stainless Steel

XN All Stainless Steel

PC All Plastic

PS All Plastic

X5 Brass/Steel

X8 Brass/Stainless

XV Brass/Plastic

XX Brass/Other

ZN 316 Stainless Steel

ZS 316 Stainless Steel

#### **SCREW TYPES**

a #8-15 Self-Tapping b #8-18 Self-Drilling

c #10-16 Self-Drilling

d #8-32 Machine

e #10-32 Machine

f #7 Wood Screw

g #8-18 Self-Tapping

h #8 Wood Screw

i #12-14 Self-Tapping

J #10-16 Self-Tapping

ΧV




Durable<sup>™</sup> ■ Automotive/Aviation ■ Leather/Luggage ■ Marine ■ Military
Packaging ■ Protective Gear ■ Sporting Goods ■ Tents/Awnings

These snap fasteners are ideal when superior snap action and holding strength are crucial. Durable  $^{\text{TM}}$  fasteners feature a heavy-duty construction to ensure a firm grip that remains secure through years of use in even the toughest environments.



CARPET SNAPS		
<b>93-10123</b> BS	<b>93-10222</b> XX	





#### **PLASTICS**

CAPS	SOCKETS	STUDS	POSTS
•			
<b>93-10419</b> D: .545/13.84mm H: .183/4.64mm PC	<b>93-10233</b> PC	<b>93-10380</b> PC	<b>93-10419</b> D: .545/13.84mm H: .183/4.64mm PC

SCREW STUDS			
<b>93-10301</b> X8, b	<b>93-10302</b> X8, c	<b>93-10362</b> XX, a	<b>93-10393</b> XB, X8, XN, a, h
<b>6)</b>			6
<b>93-10934</b> X8, j	<b>93-10704</b> X8, XN, d	<b>93-10708</b> XB, XX, e	<b>93-10725</b> XX, X8, g

#### **BASE MATERIALS**

- BS All Brass
- X2 All Brass
- XB All Brass
- XE All Brass
- SS All Steel X6 All Steel/Other
- NS All Stainless Steel
- XN All Stainless Steel
- PC All Plastic
- PS All Plastic
- X5 Brass/Steel
- X8 Brass/Stainless
- XV Brass/Plastic
- XX Brass/Other

#### **SCREW TYPES**

- a #8-15 Self-Tapping
- b #8-18 Self-Drilling c #10-16 Self-Drilling
- d #8-32 Machine
- d #8-32 Machine
- e #10-32 Machine f #7 Wood Screw
- g #8-18 Self-Tapping
- h #8 Wood Screw i #12-14 Self-Tapping
- J #10-16 Self-Tapping



## Baby Durable<sup>™</sup>

■ Leather/Luggage ■ Military ■ Packaging ■ Protective Gear

Baby Durable<sup>™</sup> is an intermediate sized snap fastener that provides firm snap action and strong holding power without being visually prominent on heavy-duty products. The smaller size and strong snap action of this fastener allows for years of use in precise locations even in the most rugged environments.

CAPS	SOCKETS	STUDS	POSTS
<b>94-12105</b> D: .454/11.53mm H: .128/3.25mm XB	<b>94-12205</b> Normal Action XB, X5	<b>94-12302</b> Narrow Flange BS, SS	<b>94-12402</b> D: .490/12.44mm H: .179/4.54mm BS
<b>94-12108</b> D: .525/13.33mm H: .125/3.17mm X2, XS	<b>94-12206</b> Hard Action XX	<b>94-12303</b> Wide Flange BS, SS	<b>94-12404</b> D: .490/12.44mm H: .229/5.81mm BS
<b>94-12126</b> D: .525/13.33mm H: .185/4.69mm X2			<b>94-12405</b> D: .424/10.76mm H: .229/5.81mm BS, SS
			<b>94-12407</b> D: .424/10.76mm H: .179/4.54mm BS, SS





## Pull-the-DOT®

■ Automotive/Aviation ■ Leather/Luggage ■ Marine ■ Military ■ Tents/Awnings

This heavy-duty, one-way fastener withstands extreme pressure from three sides without unlocking and is constructed of rust-resistant brass. Pull-the-DOT® has a well-earned reputation for performing in harsh environments and can be attached with semi-automatic machines.

CAPS	SOCKETS	STUDS	POSTS
11 400			
<b>92-18100</b> D: .598/15.18mm H: .166/4.21mm XE	<b>92-18201</b> Normal Action XB	<b>92-18303</b> BS	<b>93-10412</b> D: .565/14.35mm H: .240/6.09mm BS
		(3) m	
<b>92-18103</b> D: .598/15.18mm H: .226/5.74mm XE	<b>92-18201</b> Hard Action XX	<b>92-18307</b> Screw Stud X8, a	<b>93-10413</b> D: .565/14.35mm H: .295/7.49mm BS

#### **BASE MATERIALS**

- BS All Brass
- X2 All Brass XB All Brass
- XE All Brass
- SS All Steel
- X6 All Steel/Other
- NS All Stainless Steel
- XN All Stainless Steel
- PC All Plastic PS All Plastic
- X5 Brass/Steel
- X8 Brass/Stainless
- XV Brass/Plastic
- XX Brass/Other

#### **SCREW TYPES**

- a #8-15 Self-Tapping
- b #8-18 Self-Drilling
- c #10-16 Self-Drilling
- d #8-32 Machine
- e #10-32 Machine
- f #7 Wood Screw
- g #8-18 Self-Tapping
- h #8 Wood Screw
- i #12-14 Self-Tapping




## Lift-the-DOT®

Automotive/AviationLeather/LuggageMarineMilitaryTents/Awnings

Strong and heavy-duty, Lift-the-DOT® fasteners lock on three sides and are opened by lifting the fourth side. Rust-resistant, they are constructed of brass or other non-ferrous metals to ensure that this fastener can withstand the most difficult conditions.

SOCKETS	BACK PLATES	STUDS	WASHERS
<b>90-16205</b> H: .205/5.20mm XX	<b>90-16506</b> BS	<b>90-16349</b> BS	<b>90-16501</b> BS
<b>90-16206</b> H: .261/6.62mm XX	<b>90-16510</b> Flexwasher PS	<b>90-16358</b> XB	<b>90-16509</b> BS



WINDSHIELD CLIPS	SCREW STUDS		
			Gia Carrier
<b>90-16376</b> 3/4" XX	<b>90-16317</b> XB, h	<b>90-16362</b> XB, XX, d	<b>90-16360</b> X8, a
-			
<b>90-16377</b> 7/8" XX		<b>90-16366</b> XX, a	

#### **BASE MATERIALS**

- BS All Brass
- X2 All Brass
- XB All Brass
- XE All Brass
- SS All Steel
- X6 All Steel/Other
- NS All Stainless Steel
- XN All Stainless Steel
- PC All Plastic PS All Plastic
- X5 Brass/Steel
- X8 Brass/Stainless
- XV Brass/Plastic
- XX Brass/Other

#### **SCREW TYPES**

- a #8-15 Self-Tappingb #8-18 Self-Drilling
- c #10-16 Self-Drilling
- d #8-32 Machine
- e #10-32 Machine
- f #7 Wood Screw
- g #8-18 Self-Tapping
- h #8 Wood Screw
- i #12-14 Self-Tapping
- J #10-16 Self-Tapping



## Common Sense®

■ Automotive/Aviation ■ Leather/Luggage ■ Marine ■ Military ■ Tents/Awnings

These positive-locking fasteners never open accidentally. Each is assembled with a spring mechanism that holds the fastener under tension in the desired position until turned and released by hand. Dependable even in the most difficult environments, Common Sense® is available in a variety of turn button styles and may be used on hard and soft surface applications.

TURN BU	JTTONS	WASHERS	GROMMETS
		0	
<b>91-78322</b> H: .680/17.27mm XB	<b>91-78315</b> H: .790/20.06mm XX, i	<b>91-78505</b> BS	<b>91-78403</b> H: .335/8.50mm BS
<b>91-78323</b> H: .790/20.06mm XB	<b>91-78324</b> H: .810/20.57mm XB, X8, f	<b>91-78510</b> BS	<b>91-78404</b> H: .395/10.03mm BS
	<b>91-78325</b> H: .900/22.86mm XB, f	<b>91-78511</b> Flexwasher PS	
		<b>91-78522</b> Flexwasher PS	

<b>├</b>	— D —	<b>→</b>

TURN BUTTONS		BACK PLATES
<b>91-78317</b> H: .805/20.44mm XB	<b>91-78318</b> H: .870/22.09mm XB	<b>91-78502</b> BS
<b>91-78332</b> H: .724/18.38mm XB	<b>91-78333</b> H: .838/21.28mm XB	<b>91-78507</b> BS

#### **BASE MATERIALS**

BS All Brass

X2 All Brass

XB All Brass

XE All Brass

SS All Steel

X6 All Steel/Other NS All Stainless Steel

XN All Stainless Steel

PC All Plastic

PS All Plastic

X5 Brass/Steel

X8 Brass/Stainless

XV Brass/Plastic

XX Brass/Other

#### **SCREW TYPES**

a #8-15 Self-Tapping

b #8-18 Self-Drilling

c #10-16 Self-Drilling d #8-32 Machine

e #10-32 Machine

f #7 Wood Screw

g #8-18 Self-Tapping

h #8 Wood Screw

i #12-14 Self-Tapping

J #10-16 Self-Tapping




Segma<sup>™</sup> Leather/Luggage Military
Packaging Protective Gear


This closure is ideally suited for light-duty applications and features a segmented socket that delivers consistent snap action and focused performance.

CAPS	SOCKETS	STUDS	POSTS
<b>95-21152</b> D: .345/8.76mm BS	<b>95-21201</b> D: .335/8.50mm H: .196/4.97mm BS	<b>95-21302</b> D: .445/11.30mm H: .123/3.12mm BS	<b>95-21403</b> D: .445/11.30mm H: .223/5.66mm BS
<b>95-21154</b> D: .389/10.10mm BS	<b>95-22201</b> D: .375/9.52mm H: .198/5.02mm BS	<b>95-21316</b> D: .320/8.12mm H: .117/2.97mm BS	<b>95-21401</b> D: .335/8.50mm H: .233/5.91mm BS
	<b>95-22202</b> D: .375/9.52mm H: .235/5.96mm BS	<b>95-22303</b> D: .330/8.38mm H: .227/5.76mm BS	<b>95-21409</b> D: .325/8.25mm H: .288/7.31mm BS
		<b>95-22321</b> D: .335/8.50mm H: .139/3.53mm BS	<b>95-22405</b> D: .395/10.03mm H: .314/7.97mm BS
			<b>95-22402</b> D: .363/9.22mm H: .337/8.55mm BS
			95-22413 D: .315/8.00mm H: .310/7.87mm Capped Post XS
			05 33404
			<b>95-22401</b> D: .365/9.27mm H: .263/6.68mm BS









#### **BASE MATERIALS**

- BS All Brass
- X2 All Brass
- XB All Brass
- XE All Brass
- SS All Steel
- X6 All Steel/Other
- NS All Stainless Steel
- XN All Stainless Steel
- PC All Plastic
- PS All Plastic
- X5 Brass/Steel
- X8 Brass/Stainless XV Brass/Plastic
- XX Brass/Other




# SPECIALTY FASTENERS Leather/Luggage Military Protective Gear Sporting Goods

#### Speedy Rivets®

These rivets allow for a quick, reliable permanent closure on application material such as layers of leather, cloth and paper. Once attached, they create a tight, secure attachment that will resist rust.





#### **Locking Fasteners**

# SOCKET STUD 96-90229 BS 96-90331 BS BS

#### **Envelope Fasteners**

SOCKET	STUD
<b>96-90233</b> BS	<b>96-90315</b> BS

#### **Plastic Snap Fasteners**

САР	SOCKET	STUD	POST
66-3100	66-2100	66-1100	66-3100
D: .395/10.03mm H: .143/3.63mm PC	PC	PC	D: .395/10.03mm H: .143/3.63mm PC

#### **BASE MATERIALS**

BS All Brass

X2 All Brass XB All Brass

XE All Brass

SS All Steel

X6 All Steel/Other

NS All Stainless Steel

XN All Stainless Steel

PC All Plastic

PS All Plastic

X5 Brass/Steel

X8 Brass/Stainless

XV Brass/Plastic

XX Brass/Other

## PRESSES AND TOOLS



## SEMI-AUTOMATIC FOOT PRESS Model 89-M200

- Safety rings
- Adjustable setting pressure
- Compensator unit
- Target light
- Adjustable Table Height 28–32"
- Throat Depth 4.5"
- Weight 200 lbs.





#### BENCH MOUNT PRESS Model 89-M380E

- Cast iron and steel construction
- Interchangeable with all hand and foot machine dies
- Easy mounting to table or bench
- Throat Depth 4.5'
- Weight 21 lbs.



#### Snapmaster™ Model 89-M840

- Aluminum and steel construction
- Heavy-duty toggle link mechanism
- Dual bushing system
- Adjustable lower die
- Punches and dies interchangeable in upper or lower die seats
- Cushioned operating lever
- Height 8.75", Width 5", Depth 1"
- Weight 2 lbs.



#### **HAND TOOLS**

Lift-the-DOT® Cutting Punch Part No. 89-9951E



Common Sense® Cutting Punch Part No. 89-450E



Durable™ Economy Setting Kit Part No. 89-UCS1T

SETTING TOOLS   89-M200   89-M840   89-M380E   Machine Tools   Machine Tools   Durable	
Part No. Machine Tools Machine Tools Durable " 93-10112 89-1401 89-4403 93-10128 89-1401 89-4403 93-10129 89-1401 89-4403 93-10120 89-1401 89-4403 93-10150 89-1402 93-10150 89-1404 93-10221 89-1415 93-10222 89-1414 93-10233 89-8161 93-10234 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-1413 93-10379 89-8101 89-4304 93-10380 89-8162 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10419 89-8158 Baby Durable " 94-12105 89-1483 89-4406 94-12106 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 94-12303 89-9772 94-12404 89-1488 89-4407 94-12405 89-1488 89-4407 94-12405 89-1488 89-4407 94-12406 89-1488 89-4407 94-12407 89-1488 89-4407 94-12408 89-1488 89-4407 94-12409 89-1488 89-4407 94-12407 89-1488 89-4407 94-12408 89-1488 89-4407 94-12407 89-1488 89-4407 94-12408 89-1488 89-4407 94-12409 89-1488 89-4407 94-12407 89-1488 89-4407 94-12408 89-1488 89-4407 94-12409 89-1488 89-4407 94-12400 89-1488 89-4407 94-12401 89-1488 89-4407 94-12402 89-1488 89-4407 94-12405 89-1488 89-4407 94-12406 89-1488 89-4407 94-12407 89-1488 89-4407 94-12408 89-1488 89-4407 94-12409 89-1488 89-4407 94-12400 89-1488 89-4407 94-12401 89-1488 89-4407 94-12402 89-1488 89-4407 94-12403 89-9788 89-4405 92-18100 89-9788 89-4405 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-18201 89-8059 89-4405 92-1	
Durable	
93-10112 89-1401 93-10128 89-1401 93-10129 89-1401 93-10150 89-1402 93-10123 89-1415 93-10123 89-1415 93-10222 89-1414 93-10233 89-8161 93-10231 89-1410 89-4303 93-1031 89-1410 89-4303 93-1031 89-1410 89-4303 93-1031 89-1410 89-4303 93-1031 89-1410 89-4304 93-10373 89-1412 89-4304 93-10373 89-1413 93-10379 89-8101 89-4304 93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10419 89-8158 Baby Durable** 94-12105 89-1482 94-12106 89-1483 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12400 89-1488 89-4407 94-12400 89-1488 89-4407 94-12400 89-1488 89-4407 94-12400 89-1488 89-4407 94-12400 89-1488 89-4407 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12408 89-978 89-4405 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT* 90-16506 89-1454 89-4301 90-16506 89-1454 89-4301 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 90-16510 89-1455 90-16510 89-1455	
93-10127 89-1401 89-4403 93-10128 89-1401 89-4403 93-10129 89-1402 93-10150 89-1403 93-10123 89-1415 93-10222 89-1414 93-10233 89-8161 93-10224 89-1410 89-4303 93-10231 89-1410 89-4303 93-10331 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-8101 89-4304 93-10373 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10414 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  Baby Durable** 94-12105 89-1482 94-12108 89-1483 89-4406 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-972 94-12303 89-9772 94-12303 89-9772 94-12404 89-1488 89-4407 94-12404 89-1488 89-4407 94-12407 89-1488 Pull-the-DOT* 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18201 89-8059 89-4304  Lift-the-DOT* 90-16205 89-1454 89-4301 90-16506 89-1454 89-4301 90-16506 89-1455 89-4455 90-16349 89-803	
93-10128 89-1401 93-10129 89-1402 93-10150 89-1403 93-10123 89-1415 93-10222 89-1414 93-10233 89-8161 93-10224 89-1410 89-4303 93-10231 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-1413 93-10379 89-8101 89-4304 93-10379 89-8101 89-4304 93-103138 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1488 8aby Durable <sup>™</sup> 94-12105 89-1483 89-4406 94-12106 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 94-12303 89-9772 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12407 89-1488 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-8059 89-4305 92-18201 89-9760 89-4455 90-16206 89-1454 89-4301 90-16506 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
93-10129 89-1402 93-10150 89-1403 93-10123 89-1415 93-10222 89-1414 93-10233 89-8161 93-10231 89-1410 89-4303 93-10231 89-1410 89-4303 93-10321 89-1410 89-4303 93-10321 89-1412 89-4304 93-10370 89-1412 89-4304 93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10416 89-8158  Baby Durable** 94-12105 89-1483 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12303 89-9772 94-12303 89-9772 94-12404 89-1488 89-4407 94-12404 89-1488 89-4407 94-12407 89-1488 94-12407 89-1488 Pull-the-DOT** 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18201 89-8059 89-4304 Lift-the-DOT** 90-16206 89-1454 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
93-10123 89-1415 93-10222 89-1414 93-10233 89-8161 93-10224 89-1410 89-4303 93-10331 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-1413 93-10380 89-8161 93-10412 89-1407 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10418 89-1483 89-4405 94-12105 89-1483 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12402 89-9772 94-12303 89-9772 94-12404 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12408 89-1488 94-12409 89-1489 94-12409 89-	
93-10222 89-1414 93-10233 89-8161 93-10231 89-1410 89-4303 93-10231 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-8101 89-4304 93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  **Baby Durable** 94-12105 89-1483 89-4406 94-12106 89-1483 89-4406 94-12126 89-1483 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12302 89-9772 94-12303 89-9772 89-4308 94-12404 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12408 89-1488 94-12409 89-1488 94-12409 89-1488 94-12409 89-1488 94-12400 89-1488 94-12400 89-1488 94-12401 89-1488 94-12401 89-1488 94-12402 89-1488 94-12403 89-9758 89-4405 92-18100 89-9758 89-4405 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT** 90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401	
93-10233 89-8161 93-10224 89-1410 89-4303 93-10231 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-1413 93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158 8aby Durable" 94-12105 89-1482 94-12105 89-1483 89-4406 94-12106 89-9323 89-4307 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12302 89-9772 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 89-4407 94-12406 89-1488 89-4407 94-12407 89-1488 89-4407 94-12408 89-1488 89-4407 94-12409 89-1488 89-4407 94-12401 89-1488 89-4407 94-12401 89-1488 89-4407 94-12402 89-1488 89-4407 94-12403 89-9758 89-4405 92-18100 89-9758 89-4405 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304 Lift-the-DOT® 90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 99-16510 89-8043	
93-10224 89-1410 89-4303 93-10231 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-1413 93-10380 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10413 89-1407 89-4404 93-10419 89-8158  **Baby Durable**  94-12105 89-1483 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12404 89-1488 89-4407 94-12404 89-1488 89-4407 94-12407 89-1488 Pull-the-DOT**  92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT**  90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16506 89-1455 90-16349 89-8043	
93-10331 89-1410 89-4303 93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-1413 93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  Baby Durable** 94-12105 89-1483 94-12105 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 Pull-the-DOT** 92-18100 89-9758 89-4305 92-18303 89-9758 89-4305 92-18303 89-9760 89-4305 92-18303 89-9760 Lift-the-DOT** 90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401	
93-10342 89-9557 93-10370 89-1412 89-4304 93-10373 89-1413 93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  Baby Durable  94-12105 89-1483 89-4406 94-12106 89-9323 89-4307 94-12206 89-9323 89-4307 94-12206 89-972 94-12303 89-9772 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 Pull-the-DOT  92-18100 89-9758 89-4305 92-18201 89-8059 89-4305 P2-18303 89-9760 89-4304  Lift-the-DOT  90-16205 89-1454 89-4301 90-16506 89-1455 90-16510 89-1455 90-16510 89-1455 90-16510 89-1455 90-16349 89-8043	
93-10373 89-1413 93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  Baby Durable™ 94-12105 89-1482 94-12106 89-1483 89-4406 94-12126 89-1483 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12404 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 89-4407 94-12406 89-9388 89-4407 94-12407 89-1488 89-4407 94-12408 99-188 89-4407 94-12407 89-1488 89-4407 92-18100 89-9758 89-4308 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16510 89-1855 90-16349 89-8043	
93-10379 89-8101 89-4304 93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  Baby Durable™ 94-12105 89-1482 94-12106 89-1483 89-4406 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12404 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 89-4401 90-16506 89-1455 89-4401 90-16501 89-1455 90-16349 89-8043	
93-10380 89-8162 93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  Baby Durable™ 94-12105 89-1482 94-12108 89-1483 89-4406 94-12105 89-9323 89-4307 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 89-4407 94-12407 89-1488 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 89-4405 90-16510 89-1455 90-16510 89-1455 90-16349 89-8043	
93-10412 89-1407 89-4404 93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158 <b>Baby Durable</b> 94-12105 89-1482 94-12108 89-1483 89-4406 94-1226 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12405 89-1488 89-4407 94-12405 89-1488 89-4407 94-12405 89-1488 89-4407 94-12407 89-1488 89-4407 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 89-4401 90-16501 89-1455 90-16349 89-8043	
93-10413 89-1407 89-4404 93-10414 89-1407 89-4404 93-10419 89-8158  Baby Durable™ 94-12105 89-1482 94-12108 89-1483 89-4406 94-12206 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12302 89-9772 94-12402 89-1488 89-4407 94-12405 89-1488 89-4407 94-12405 89-1488 89-4407 94-12407 89-1488 89-4407 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 90-16510 89-1455 90-16510 89-1455 90-16349 89-8043	
93-10419 89-8158  Baby Durable 94-12105 89-1482 94-12108 89-1483 89-4406 94-12106 89-1483 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 Pull-the-DOT 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT 90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
Baby Durable™         94-12105       89-1482         94-12106       89-1483         94-12126       89-1483         94-12205       89-9323         94-12206       89-9323         89-9307       89-4307         94-12302       89-9772         94-12402       89-1488         89-4407       89-1488         94-12404       89-1488         94-12407       89-1488         94-12407       89-1488         Pull-the-DOT®         92-18100       89-9758       89-4405         92-18201       89-8059       89-4305         92-18303       89-9760       89-4304         Lift-the-DOT®         90-16205       89-1454       89-4301         90-16206       89-1454       89-4301         90-16500       89-1455       89-4401         90-16510       89-1455       89-4401         90-16349       89-8043	
94-12105 89-1482 94-12108 89-1483 89-4406 94-12126 89-1483 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4305 92-18303 89-9760 89-4304 Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 90-16510 89-1455 90-16349 89-8043	
94-12108 89-1483 89-4406 94-12126 89-1483 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488 94-12407 89-1488  Pull-the-DOT® 92-18100 89-9758 89-4405 92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 89-4401 90-16506 89-1455 90-16349 89-8043	
94-12126 89-1483 94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304 Lift-the-DOT® 90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
94-12205 89-9323 89-4307 94-12206 89-9323 89-4307 94-12302 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16206 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
94-12302 89-9772 94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12407 89-1488  Pull-the-DOT® 92-18100 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
94-12303 89-9772 89-4308 94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488  94-12407 89-1488  Pull-the-DOT®  92-18100 89-9758 89-4405  92-18103 89-9758 89-4405  92-18201 89-8059 89-4305  92-18303 89-9760 89-4304  Lift-the-DOT®  90-16205 89-1454 89-4301  90-16506 89-1454 89-4301  90-16506 89-1455 89-4401  90-16510 89-1455  90-16349 89-8043	
94-12402 89-1488 89-4407 94-12404 89-1488 89-4407 94-12405 89-1488 94-12407 89-1488  Pull-the-DOT® 92-18100 89-9758 89-4405 92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
94-12404 89-1488 89-4407 94-12407 89-1488 94-12407 89-1488  Pull-the-DOT® 92-18100 89-9758 89-4405 92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT® 90-16205 89-1454 89-4301 90-16506 89-1454 89-4301 90-16510 89-1455 90-16349 89-8043	
94-12405 89-1488 94-12407 89-1488  Pull-the-DOT®  92-18100 89-9758 89-4405  92-18103 89-9758 89-4405  92-18201 89-8059 89-4305  92-18303 89-9760 89-4304  Lift-the-DOT®  90-16205 89-1454 89-4301  90-16206 89-1454 89-4301  90-16506 89-1455 89-4401  90-16510 89-1455  90-16349 89-8043	
94-12407 89-1488 Pull-the-DOT® 92-18100 89-9758 89-4405 92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304 Lift-the-DOT® 90-16205 89-1454 89-4301 90-16206 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
92-18100 89-9758 89-4405 92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT®  90-16206 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
92-18103 89-9758 89-4405 92-18201 89-8059 89-4305 92-18303 89-9760 89-4304  Lift-the-DOT®  90-16205 89-1454 89-4301 90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
92-18201 89-8059 89-4305 92-18303 89-9760 89-4304 <b>Lift-the-DOT</b> ®  90-16205 89-1454 89-4301  90-16506 89-1454 89-4301  90-16510 89-1455  90-16349 89-8043	
92-18303 89-9760 89-4304 <b>Lift-the-DOT</b> ®  90-16205 89-1454 89-4301  90-16206 89-1455 89-4401  90-16510 89-1455  90-16349 89-8043	
Lift-the-DOT®         90-16205       89-1454       89-4301         90-16206       89-1454       89-4301         90-16506       89-1455       89-4401         90-16510       89-1455         90-16349       89-8043	
90-16206     89-1454     89-4301       90-16506     89-1455     89-4401       90-16510     89-1455       90-16349     89-8043	
90-16506 89-1455 89-4401 90-16510 89-1455 90-16349 89-8043	
90-16510 89-1455 90-16349 89-8043	
90-16349 89-8043	
** =** **	
90-16358 89-1456	
90-16501 89-8042	
90-16509 89-1457	
Common Sense®	
91-78317 89-9577 01-78318 80-0577	
91-78318 89-9577 91-78332 89-9577	
91-78333 89-9577	
91-78403 89-8199 89-4302	
91-78404 89-8199	
91-78502 89-9578	
91-78507 89-8203 91-78505 89-8200 89-4402	
91-78510 89-8200 89-9402	
91-78511 89-8200	
CUTTING TOOLS	
Lift-the-DOT®	
90-16205 89-9433 89-4101	
90-16506 89-9432 89-4201 Common Sense®	
91-78403 89-4103/89-4203	
91-78404 89-4103/89-4203	
HAND TOOLS	
89-UCS1T Durable Economy Setting Kit	
89-164 Durable Premium Setting Punch for standard Durable caps and eyelets 89-9936 Heavy-duty two-sided Bench Die for Durable caps and eyelets	at c
89-171 Cutting Punch for 16349 stud and 78332/78333 Common Sense turn button	ets
89-450 Cutting Punch for 78403/78404 Common Sense grommets	
89-9951E Cutting Punch for 16205 and 16206 Lift-the-DOT sockets	
89-169B Screw Driver for Lift-the-DOT screw studs	
89-169N Screw Driver for Durable screw studs	
89-9908 Screw Driver for Common Sense turn button with screws	
80-0040 Rench Die for 16259 Lift the DOT stud	
89-9940 Bench Die for 16358 Lift-the-DOT stud 89-192 Chuck Holder for .375" shank punches and dies	





Great Designs Deserve Great Fasteners.

Scovill Fasteners develops and manufactures a diverse range of high-performance fasteners for our apparel and industrial partners. Our customer-focused capabilities and global collaboration provide the highest level of service – from fastener design and delivery to application.

#### **AMERICAS** – Global Headquarters

Scovill Fasteners 1802 Scovill Drive Clarkesville, Georgia 30523 USA

Toll Free: 1-888-726-8455 (1-888-SCOVILL)

Phone: 706-754-1000 Fax: 706-754-4000

#### **NEW YORK**

Scovill Fasteners 135 W. 29th Street New York, New York 10001 USA Phone: 212-730-2490

#### **MEXICO**

Morito Scovill Mexico S.A. de C.V. Plaza de la Paz #102 HT-Suite 175 Puerto Interior Silao de la Victoria, Guanajuato Mexico CP 36275

Phone: +52 1 (871) 109 9581

#### **ASIA-PACIFIC**

Morito Scovill Hong Kong Company Limited 3/F, China Aerospace Centre No. 143 Hoi Bun Road Kwun Tong, Kowloon

Hong Kong
Phone: +852 273

Phone: +852 2736 6212 Fax: +852 2736 6207

#### **EUROPE**

Scovill Fasteners UK Limited The Old Courtyard 11 Lower Cookham Road MAIDENHEAD SL6 8JN United Kingdom DOT Customer Service Phone: +44(0) 7834-844001

+44(0) 7834-844001 DOT Sales Phone: +44(0) 1484-720187

Apparel Sales Phone: +44 (0)20 7254 6713

### Visit us at scovill.com





